



NOTES:

Legend:  
 Ø = Outside diameter of pipe

NOTES:  
 A This OPSD to be read in conjunction with OPSD 804.030.  
 B If a steel grate is required, refer to OPSD 804.05.  
 C Class of concrete: 30MPa.  
 D Cover to reinforcing bars: 75mm ± 20mm.  
 E All dimensions are in millimetres unless otherwise shown.

BENCHMARK 1 ELEV. - 223.42m  
 TOP NUT ON FIRE HYDRANT LOCATED ON THE SOUTHWEST CORNER OF 16th AVENUE EAST AND 14th STREET EAST.

THE POSITION OF POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND OVERGROUND UTILITIES AND STRUCTURES IS NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS, AND, WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.

BEFORE STARTING WORK, THE CONTRACTOR SHALL INFORM HIMSELF OF THE EXACT LOCATION OF ALL SUCH UTILITIES AND STRUCTURES, AND SHALL ASSUME ALL LIABILITY FOR ANY DAMAGE TO THEM.

**PRELIMINARY**  
 NOT FOR CONSTRUCTION

NO.	DATE	REVISION DESCRIPTION	CHKD

GUELPH | OWEN SOUND | LISTOWEL | KITCHENER | LONDON | HAMILTON | GTA  
 1260 - 2ND AVENUE EAST, UNIT 1, OWEN SOUND, ON N4K 2J3  
 TEL: 519-876-1885

ANDPET SUBDIVISION  
 PART OF PARK LOTS 4 & 5, RANGE 5 EGR,  
 PL OWEN SOUND

CITY OF OWEN SOUND  
 SURFACE WATER MANAGEMENT  
 FACILITY DETAILS

DRAWN BY: E.J.T.	APPROVED BY: J.B.S.	PROJECT NO.: S1364	DRAWING NO.: D-1
DESIGNED BY: E.J.T.	DATE: MAY 28, 2019	SCALE: AS NOTED	

FILE: C:\Users\jbarlow\OneDrive\Documents\Projects\2019\19-001\Drawings\19-001-010.dwg, 14/02/2019  
 LAST SAVED BY: jbarlow, 5/05/2019 4:46:35 PM, PLOTTED BY: jbarlow, 5/05/2019 12:12:00 PM